



CONSTRUCTION NOTES

BASE CORSE AND SUBGRADE SHALL BE COMPACTED TO 95%
 DENSITY AS DETERMINED BY MODIFIED PROCTOR (ASTM D 1557)
 A SOILS REPORT PREPARED BY A REGISTERED PROFESSIONAL
 ENGINEER SHALL CERTIFY THAT THE ABOVE SECTION IS ACCEPTABLE.
 CONCRETE PAVEMENT SHALL MEET REQUIREMENTS PER WSDOT (STD SPEC 5-05)
 FINISH SURFACE BY TEXTURING WITH COMB PERPENDICULAR TO CENTER
 LINE OF PAVEMENT (PER WSDOT STD SPEC. 5-05.3(11)).

CONCRETE PAVEMENT SECTION

NOT TO SCALE

APPROVED: BILL CAMPBELL

REV. DATE: JULY 1, 2007

ENGINEERING DIVISION



STANDARD DETAILS

CONCRETE PAVEMENT SECTION

FILE SD326.DWG DRAWING NO. **326**